

Safety for
CONNECTING

FIRE INSURANCE APPROVED



E.E.F. 01-05-2011



AN ISO 9001:2008 CERTIFIED CO.

RAMCO®

PVC INSULATED INDUSTRIAL CABLE 1100 VOLTS
FLAME RETARDANT

email : support@remcoindustries.in
website : www.remcoindustries.in

FIA | TAC

PRODUCT RANGE

Domestic & Industrial Wires

PVC Insulated Power Cables

Copper Control Cables

Instrumentation Cables

PVC Submersible Flat Cables

Telecommunication Cables & Wires

Poly Flat - Three Core



About the Company

REMCO INDUSTRIES is an eminent organization that is engaged in the manufacturing & supply of PVC insulated Wires & Cables. Established in 1976 our organization has grown exponentially over the years nestled in Delhi, the capital of India. we manufacture PVC Insulated Sheathed and Unsheathed Wire & Cables for working voltage up to and included 1100 volts.

Mr. R.B GUPTA is the founder person of the organization. His guidance and supervision has proved to be advantageous for the right growth of our organization. With more than a Triple of decades experience in the field of manufacturing of wires & cables, we have acquired reasonable understanding of market requirement and are hence in a position to offer product that satisfactory meets the demand of different clients.

We are an **ISO certified company** which ensures that there is no compromise on quality quotient while manufacturing Cable & Wires that match with the defined quality standards.

Customer satisfaction is our main objective and that can only be achieved with the quality of products that we offer. We follow rigorous quality assurance from raw material procurement to the final stage of production ensures zero defect wires that can be used for effective results.

Company Values

CUSTOMERS FOCUS

Passionate in contributing to our customers success by rendering them the best quality service and products in the simplest, quickest and the most economical manner and forging long term partnerships.

PERFORMANCE COMMITMENT

We perform to win and to be the best. We recognize, celebrate and reward success.

LONG TERM OUTLOOK

Operating in a dynamic and rapid changing environment, we strive to have the ability to learn, change and adapt.

PEOPLE POTENTIAL & KNOWLEDGE BASED

We will attract and retain highly effective personnel and provide a knowledge-based environment that will elicit the best from them. We believe our employees are our most important assets and we continually strive to be their employer of choice.

INNOVATION & CONSTANT CHANGE


We will strive to always be technically ahead of our competitors through innovation, development and acquisition of new technologies

OPEN ENVIRONMENT

We believe in providing a family friendly and an open environment within our organization that enhances our productivity.

COMPANY POLICIES

We believe in maintaining sound, stable company operating policies to ensure long-term growth and prosperity for our company, our staff



AN ISO 9001:2008 CERTIFIED CO.

| TAC





Certificate

Certificate No.: Q09433

Surewin Quality Certification

Certifies that the
Quality management System

of

Remco Industries (India)
340A/8, Street No. 1/A, Friend's Colony,
G.T. Road Industrial Area,
Shahdara
Delhi 110 095

has been assessed and found to be in
conformance to the requirements of the
Quality Management Standard

IS/ISO 9001:2008

**SCOPE: Manufacturing and Supply of
PVC Insulated Wire and Cables**

subject to continued satisfactory conformance of governing
standard, this certificate is

Valid from: Sept 12, 2009 to Sept 11, 2012



ACCREDITATION NO.-039-C



For Conditions of Certification, see www.surewinquality.com
Accredited by Member of International Accreditation Forum and European Accreditation

RAMCO SINGLE CORE COPPER WIRE 1100 VOLT 90 MTRS.

S. NO.	SIZE	MM	PRICE PER COIL
001	.075	(24/2)	673.00
002	1.00	(14/3)	925.00
003	1.50	(22/3)	1384.00
004	2.50	(36/3)	2237.00
005	4.00	(56/3)	3348.00
006	6.00	(84/3)	5135.00
007	10.0	(140/3)	8256.00



FR
FIRE RETARDANT

RAMCO SOLID COPPER STRANDED HOUSE HOLD & INDUSTRY CABLE FOR FIXED WIRING - 90 MTRS (VIR)

S. NO.	SIZE	MM	PRICE PER COIL
008	1.5	1/1.4	1544.00
009	2.5	1/1.78	2385.00
010	4.0	1/2.24	3716.00
011	6.0	1/2.78	5637.00




FIA
FIRE INSURANCE APPROVED

RAMCO SUBMERSIBLE CABLES CORE FLAT 90 Mtrs.

S. NO.	SIZE	AMPS.	PRICE PER COIL RAMCO	PRICE PER COIL RAMCO GOLD
012	1.50	14	4265.00	4977.00
013	2.50	19	6594.00	7749.00
014	4.00	26	9870.00	11624.00
015	6.00	31	14185.00	16926.00

Application for Submersible Pump Wire :

For use within the well casing to supply power to the submersible pump wire though submersible flat cable
Designed for use where flexibility during installation and operation are required


 3 Core Flat Cables as per
IS : 694 1990 with ISI mark

 AN ISO 9001:2008
CERTIFIED CO.

 email : support@remcoindustries.in
 website : www.remcoindustries.in

RAMCO TELEPHONE & SWITCHBOARD CABLES 90 MTRS.

S. NO.	SIZE (SQ. MM)	.41	.45	.51	.61
016	1 PAIR	462.00	545.00	626.00	928.00
017	PER PAIR	368.00	445.00	534.00	796.00

RAMCO CO-AXIAL CABLES (COPPER)

S. NO.	SIZE (SQ. MM)	90 mtrs.	305 mtrs.
018	RG-59 (28/48)	944.00	3422.00
019	RG-59 (32/64) Heavy	1003.00	3610.00
020	RG-6 (36/64)	1333.00	4720.00
021	RG-6 (40/64) Heavy	1463.00	5196.00
022	RG-11 (40/96)	11760.00
023	RG-11 (40/144) Heavy	12360.00

RAMCO CO-AXIAL CABLES (CCS)


S. NO.		90 mtrs.	305 mtrs.
024	32/64 RG-59	567.00	2048.00
025	40/64 RG-6	756.00	2568.00

RAMCO ROUND MULTICORE CABLES 90 MTRS.

 IS : 694
 CM/L-2382757

S. NO.	SIZE (SQ. MM)	2 CORE	3 CORE	4 CORE
026	.5 mm	1396.00	2125.00	2950.00
027	.75 mm	2025.00	2959.00	3906.00
028	1.0 mm	1893.00	2798.00	3675.00
029	1.5 mm	2875.00	4100.00	5198.00
030	2.5 mm	4468.00	6476.00	8319.00
031	4.0 mm	6785.00	9625.00	1288.00
032	6.0 mm	9898.00	14790.00	18825.00

PRICES OF HIGHER SIZES ON REQUEST


 AN ISO 9001:2008
 CERTIFIED CO.

 email : support@remcoindustries.in
 website : www.remcoindustries.in

RAMCO SOLID ALUMINIUM CONDUCTOR

IS : 694
CM/L-2382757


S. NO.	UPTO & INCLUDING 1100 V. NORMAL AREA	SIZE IN MM	SINGLE CORE PVC UNSHEATHED 1100 V.	PVC SHEATHED 1100 V	FLAT TWIN
033	1.5	1/1.40	199.00	316.00	69.00
034	2.5	1/1.78	285.00	382.00	915.00
035	4.0	1/2.24	406.00	512.00	1260.00
036	6.0	1/2.76	608.00	765.00	1725.00
037	10.0	1/3.57	912.00	280.00	2700.00

RAMCO STRANDED ALUMINIUM CONDUCTOR

IS : 694
CM/L-2382757

S. NO.	UPTO & INCLUDING 1100 V. NORMAL AREA	SIZE IN MM	SINGLE CORE PVC UNSHEATHED	PVC SHEATHED 1100 V	FLAT TWIN
038	1.5	3/0.81	222.00	330.00	750.00
039	2.5	3/1.06	319.00	419.00	1000.00
040	4.0	7/0.86	455.00	590.00	1300.00
041	6.0	7/1.06	643.00	821.00	1850.00
042	10.0	7/1.35	1049.00	1295.00	3000.00
043	16.0	7/1.70	1525.00	2074.00	4600.00
044	25.0	7/2.14	2324.00	2844.00	-----
045	35.0	7/2.50	3500.00	4260.00	-----
046	50.0	19/0.78	4600.00	5850.00	-----
047	7.0	19/2.14	6390.00	-----	-----
048	95.0	19/2.50	8580.00	-----	-----
049	120.0	37/2.03	10500.00	-----	-----

PRICES OF HIGHER SIZES ON REQUEST

AN ISO 9001:2008
CERTIFIED CO.email : support@remcoindustries.in
website : www.remcoindustries.in



RAMCO®
PVC INSULATED INDUSTRIAL CABLE 1100 VOLTS
FLAME RETARDANT

IS : 694
CM/L-2382757

SQC
SUREWIN QUALITY CERTIFICATION
ISO 9001:2000

Safety for **CONNECTING**



SINGLE AND MULTICORE ROUND CABLES



Chemical & Oil
Resistance:Good



Industrial &
Domestic use



Conductor
Class II



Max. Service
Temperature 70°



Electrical
Panel Wiring

Applications : Suitable for use in conduit and for fixed protected insulation. Particularly suitable for wiring in fire and explosion prone areas. chemical factories, densely wired areas, public buildings, schools, hospital, commercial complexes, theaters etc.

Specification : Generally conforms to IS:694 IEC: 60332-1, IEC 60754-1 IS:8130 & IS:5831.

Many thin strands of Electrolytic Copper are fine-drawn simultaneously for uniformity of Resistance, Dimension and Flexibility. The Drawn strands are twisted in high precision machines and compacted. This not only imparts circularity to the bunched conductors but also prevents the tendency of the strands to separate and exert internal pressure on the insulation when the cable is bent during installation and usage.

Colours : Double strips of Silver Gray or bright orange on base colour Red, Yellow, Blue, Black and Green running along the length of the cable

DEALER / DISTRIBUTOR

TERMS & CONDITIONS

- VAT & OTHER TAXES AS APPLICABLE SHALL BE CHARGED EXTRA
- STANDARD LENGTH PER COIL IS 90 MTRS
- THIS CANCELS ALL OUR PREVIOUS PRICE LIST
- THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE DUE TO HIGH FLUCTUATION IN COPPER RATE
- DISPUTES, IF ANY ARE SUBJECT TO DELHI JURISDICTION
- SPECIAL CABLES AS PER CUSTOMERS SPECIFICATION ALSO CAN BE SUPPLIED
- **RAMCO** WILL NOT BE LIABLE FOR ANY DAMAGES ARISING OUT OF INCORRECT APPLICATION
- ALL THE RATES ARE IN INR.

Mfg. By : **REMCO INDUSTRIES (INDIA)**

340A/8, Street No.-1A, Friends Colony Indl. Area
G.T. Road, Shahdara, Delhi-95

CUSTOMER CARE : 011-22130520